



€ 33.390 VAT excluded

M 27		M 27 F	M 27 H
Wheelbase	F	2750	3350
Overall length	OAL	5295	6015
Body length min. ⁽¹⁾	W	3535	4255
Body length Max. ⁽¹⁾	W	3905	4520
Rear overhang	ROH	1435	1555
Chassis height	EH		775
Overall height	OH	2175	2185
Rear axle width	BW		1860
Cab width ⁽²⁾	OW		1815
Body width ⁽³⁾	6,1		2120
Front axle to back of cab	D min		650 ⁽⁶⁾
Front overhang	FOH		1110
Frame internal size	LaC		700
Front track	AW		1475
Rear track	CW		1425
Minimum Road Clearance	HH		160
Turning diameter (m) ⁽⁴⁾	Dia	11,3	13,5
WEIGHT (kg)			
Unladen weight ⁽⁵⁾		2240	2305
Unladen weight front axle		1595/645	1625/680
Minimum weight vehicle equipped		2335 ⁽⁵⁾	2430 ⁽⁵⁾
Gross Vehicle Weight (GVW)			3500
Front/rear total weight			2100 / 2435
Max trailer weight braked/ Max trailer weight unbraked			3500 / 750

1. The length of the body refers to a uniformly loaded vehicle, up to the maximum capacity on each axle (dimensions declared in C.O.C. with no chassis modifications).
2. Excluding turn signal and side mirrors
3. Possible widths with optional mirror brackets 1865/1945 – 1945/2120 – 2120/2240
4. Curb to curb turning diameter
5. The Unladen weight include spare wheel, full fuel tank and driver, optional excluded. NEES II + 35 kg.
6. With minimum counterframe height = 150 mm

PROVISIONAL VERSION: All data must be confirmed by the type approval certificate.

